

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	634	228/103.ccls.	US-PGPU B; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/11/23 15:23
L2	543	228/49.1.ccls.	US-PGPU B; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/11/23 15:23
L3	140	228/49.2.ccls.	US-PGPU B; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/11/23 15:23
L4	76	228/49.4.ccls.	US-PGPU B; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/11/23 15:23
L5	283	228/49.5.ccls.	US-PGPU B; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/11/23 15:23

L6	1191	219/121.63.ccls.	US-PGPU B; USPAT; EPO; JPO; DERWEN T; IBM_TDB	OR	ON	2005/11/23 15:24
L7	1701	219/121.64.ccls.	US-PGPU B; USPAT; EPO; JPO; DERWEN T; IBM_TDB	OR	ON	2005/11/23 15:31
L8	4107	1 or 2 or 3 or 4 or 5 or 6 or 7	US-PGPU B; USPAT; EPO; JPO; DERWEN T; IBM_TDB	OR	ON	2005/11/23 15:25
L10	3	8 and fixture same spring same sensor	US-PGPU B; USPAT; EPO; JPO; DERWEN T; IBM_TDB	OR	ON	2005/11/23 15:33
L11	44	8 and fixture and spring and sensor	US-PGPU B; USPAT; EPO; JPO; DERWEN T; IBM_TDB	OR	ON	2005/11/23 15:33
L12	67	8 and fixture and spring and laser	US-PGPU B; USPAT; EPO; JPO; DERWEN T; IBM_TDB	OR	ON	2005/11/23 15:33

L13	30	8 and fixture and spring and (adjust or adjusted or adjustable or adjusting) and load	US-PGPU B; USPAT; EPO; JPO; DERWEN T; IBM_TDB	OR	ON	2005/11/23 15:33
L14	24	8 and fixture and (tack or stitch) and laser	US-PGPU B; USPAT; EPO; JPO; DERWEN T; IBM_TDB	OR	ON	2005/11/23 15:30
L15	130	269/86.ccls.	US-PGPU B; USPAT; EPO; JPO; DERWEN T; IBM_TDB	OR	ON	2005/11/23 15:31
L16	131	269/100.ccls.	US-PGPU B; USPAT; EPO; JPO; DERWEN T; IBM_TDB	OR	ON	2005/11/23 15:32
L17	561	269/238.ccls.	US-PGPU B; USPAT; EPO; JPO; DERWEN T; IBM_TDB	OR	ON	2005/11/23 15:32
L18	816	15 or 16 or 17	US-PGPU B; USPAT; EPO; JPO; DERWEN T; IBM_TDB	OR	ON	2005/11/23 15:33

L19	0	18 and fixture same spring same sensor	US-PGPU B; USPAT; EPO; JPO; DERWEN T; IBM_TDB	OR	ON	2005/11/23 15:33
L20	1	18 and fixture and spring and sensor	US-PGPU B; USPAT; EPO; JPO; DERWEN T; IBM_TDB	OR	ON	2005/11/23 15:33
L21	2	18 and fixture and spring and laser	US-PGPU B; USPAT; EPO; JPO; DERWEN T; IBM_TDB	OR	ON	2005/11/23 15:33
L22	0	18 and fixture and spring and (adjust or adjusted or adjustable oe adjusting) and load	US-PGPU B; USPAT; EPO; JPO; DERWEN T; IBM_TDB	OR	ON	2005/11/23 15:33
S1	1	"6241141".pn.	US-PGPU B; USPAT	OR	ON	2005/11/23 10:37
S2	0	sensor with preload with fixture with load with foot	US-PGPU B; USPAT	OR	ON	2005/11/18 16:59
S3	2	sensor with fixture with load with foot	US-PGPU B; USPAT	OR	ON	2005/11/18 17:05
S4	662	fixture and spring and (guide near20 post)	US-PGPU B; USPAT; EPO; JPO; DERWEN T; IBM_TDB	OR	ON	2005/11/18 17:09

S5	13	S4 and tack near50 weld\$3	US-PGPU B; USPAT; USOCR; EPO; JPO; DERWEN T; IBM_TDB	OR	ON	2005/11/18 17:07
S6	43	weld\$ near50 fixture and spring and (guide near20 post)	US-PGPU B; USPAT; EPO; JPO; DERWEN T; IBM_TDB	OR	ON	2005/11/18 17:15
S7	82	weld\$ same sensor same cover same (guide or clamp or jig of foot)	US-PGPU B; USPAT; EPO; JPO; DERWEN T; IBM_TDB	OR	ON	2005/11/18 17:16
S8	5	("3452309"   "3686597"   "3812726").PN. OR ("5036304").URPN.	US-PGPU B; USPAT; USOCR	OR	ON	2005/11/18 17:54
S9	1	"6907787".pn.	US-PGPU B; USPAT	OR	ON	2005/11/18 17:54
S10	11	("20020078757"   "3978731"   "4454440"   "5471723"   "5659195"   "6003378"   "6374678"   "6462698"   "6541893"   "6550337"   "6571638"). PN. OR ("6907787"). URPN.	US-PGPU B; USPAT; USOCR	OR	ON	2005/11/18 17:55
S11	14	("3978731"   "4019388"   "4216401").PN. OR ("4454440").URPN.	US-PGPU B; USPAT; USOCR	OR	ON	2005/11/18 18:00

S12	12	("4454440"   "4586382"   "4978941"   "5488868"   "5818002"   "5821425"   "5999082"   "6079276"   "6218936"   "6259360"   "6450021"   "6484585"). PN. OR ("6962084"). URPN.	US-PGPU B; USPAT; USOCR	OR	ON	2005/11/18 18:11
S13	1	"5999082".pn.	US-PGPU B; USPAT	OR	ON	2005/11/18 18:29
S14	35	269/284.ccls.	US-PGPU B; USPAT; EPO; JPO; DERWEN T; IBM_TDB	OR	ON	2005/11/18 18:33
S15	243	269/283.ccls.	US-PGPU B; USPAT; EPO; JPO; DERWEN T; IBM_TDB	OR	ON	2005/11/18 18:35
S16	2424	"269"/\$.ccls. and weld\$3	US-PGPU B; USPAT; EPO	OR	ON	2005/11/18 18:36
S17	3	S16 and spring with load with bar	US-PGPU B; USPAT; USOCR; EPO; JPO; DERWEN T; IBM_TDB	OR	ON	2005/11/18 18:37
S18	102	S16 and spring same ( adjust or adjusting or adjusted or adjustable) same (rod or bar or fool or pedal )	US-PGPU B; USPAT; USOCR; EPO; JPO; DERWEN T; IBM_TDB	OR	ON	2005/11/18 18:39

S19	0	"624141".pn.	USPAT	OR	ON	2005/11/20 10:54
S20	1	"6241141".pn.	USPAT	OR	ON	2005/11/20 13:06
S21	1	weld\$3 with fixture with (adjust or adjustable or adjusting or adjusted)with load with spring	US-PGPU B; USPAT; USOCR; EPO; JPO; DERWEN T; IBM_TDB	OR	ON	2005/11/20 13:09
S22	0	("2005/0199678").URPN.	USPAT	OR	ON	2005/11/20 13:08
S23	1	weld\$3 with fixture with (adjust or adjustable or adjusting or adjusted)with clamp with spring	US-PGPU B; USPAT; USOCR; EPO; JPO; DERWEN T; IBM_TDB	OR	ON	2005/11/20 13:09
S24	12	("3036199"   "3462578"). PN. OR ("4229637"). URPN.	US-PGPU B; USPAT; USOCR	OR	ON	2005/11/20 13:37
S25	2	"5295700".pn.	US-PGPU B; USPAT; USOCR; EPO; JPO; DERWEN T; IBM_TDB	OR	ON	2005/11/20 13:37
S26	11	("2842370"   "3594537"   "4854667").PN. OR ("5295700").URPN.	US-PGPU B; USPAT; USOCR	OR	ON	2005/11/20 13:37

S27	1	weld\$3 same fixture same guidepost same cover same base	US-PGPU B; USPAT; USOCR; EPO; JPO; DERWEN T; IBM_TDB	OR	ON	2005/11/21 14:59
S28	2	weld\$3 same fixture and guidepost same cover same base	US-PGPU B; USPAT; USOCR; EPO; JPO; DERWEN T; IBM_TDB	OR	ON	2005/11/21 15:22
S29	497	weld\$3 same fixture same cover same base	US-PGPU B; USPAT; USOCR; EPO; JPO; DERWEN T; IBM_TDB	OR	ON	2005/11/21 15:22
S30	19	S29 and laser	US-PGPU B; USPAT; USOCR; EPO; JPO; DERWEN T; IBM_TDB	OR	ON	2005/11/21 15:22
S31	490	(tack or stich) near20 weld\$3 near50 (fixture or apparatus)	US-PGPU B; USPAT; USOCR; EPO; JPO; DERWEN T; IBM_TDB	OR	ON	2005/11/23 10:39

S32	526	(tack or stich) with weld\$3 with (fixture or apparatus)	US-PGPU B; USPAT; USOCR; EPO; JPO; DERWEN T; IBM_TDB	OR	ON	2005/11/23 10:39
S33	346	(tack or stich) near10 weld\$3 near10 (fixture or apparatus)	US-PGPU B; USPAT; USOCR; EPO; JPO; DERWEN T; IBM_TDB	OR	ON	2005/11/23 10:40
S34	261	(tack or stich) near10 weld\$3 near10 (fixture or apparatus)	US-PGPU B; USPAT; USOCR	OR	ON	2005/11/23 11:06
S35	1	(tack or stich) near10 weld\$3 near10 (fixture or apparatus) near50 base near50 cover	US-PGPU B; USPAT; USOCR	OR	ON	2005/11/23 10:41
S36	1	"6793011".pn. and (tack or stich) near10 weld\$3 near10 (fixture or apparatus)	US-PGPU B; USPAT; USOCR	OR	ON	2005/11/23 10:45
S37	9	("20020046627"   "3766977"   "4749627"   "5077889"   "5148862"   "5732767"   "6186390"   "6221197"   "RE35098"). PN. OR ("6793011"). URPN.	US-PGPU B; USPAT; USOCR	OR	ON	2005/11/23 10:45
S38	10	("3194936"   "3350534"   "3636294"   "3688072"   "3870849"   "5288963"). PN. OR ("5679271"). URPN.	US-PGPU B; USPAT; USOCR	OR	ON	2005/11/23 11:05
S39	9	(tack or stich) near10 weld\$3 near10 (fixture or apparatus)near50 laser	US-PGPU B; USPAT; USOCR	OR	ON	2005/11/23 11:21

S40	9	("3474215"   "3673372"   "3949186"   "3978310"   "4048464").PN. OR ("4143261").URPN.	US-PGPU B; USPAT; USOCR	OR	ON	2005/11/23 11:08
S41	10	("3517159"   "4021898"   "4143261"   "4358658"   "4720312"   "5537883"   "5611946").PN. OR ("5736710").URPN.	US-PGPU B; USPAT; USOCR	OR	ON	2005/11/23 11:13
S42	1	(tack or stich) near10 (weld\$3 or seal\$3 or join\$3) near10 (fixture or apparatus)near50 laser near50 sensor	US-PGPU B; USPAT; USOCR	OR	ON	2005/11/23 11:22
S43	0	(tack or stich) near10 (weld\$3 or seal\$3 or join\$3) near10 (fixture or apparatus)near50 laser near50 (piezoelectric or quartz)	US-PGPU B; USPAT; USOCR	OR	ON	2005/11/23 11:23
S44	0	(tack or stich) near10 (weld\$3 or seal\$3 or join\$3) near10 (fixture or apparatus)near50 laser near50 (piezoelectric or quartz or resonator)	US-PGPU B; USPAT; USOCR	OR	ON	2005/11/23 11:23
S45	2	(tack or stich) near10 (weld\$3 or seal\$3 or join\$3) near10 (fixture or apparatus)near50 laser and (piezoelectric or quartz or resonator)	US-PGPU B; USPAT; USOCR	OR	ON	2005/11/23 11:25
S46	7	(tack or stich) near10 (weld\$3 or seal\$3 or join\$3) and (fixture or apparatus)near50 laser and (piezoelectric or quartz or resonator)	US-PGPU B; USPAT; USOCR	OR	ON	2005/11/23 11:28
S47	128	(tack or stich) and (weld\$3 or seal\$3 or join\$3) and (fixture or apparatus)near50 laser and (piezoelectric or quartz or resonator or sensor)	US-PGPU B; USPAT; USOCR; EPO; JPO; DERWEN T; IBM_TDB	OR	ON	2005/11/23 11:29

S48	5	("4509251"   "4809427"). PN. OR ("6237215"). URPN.	US-PGPU B; USPAT; USOCR	OR	ON	2005/11/23 11:44
S49	0	"5679279".pn. and laser	US-PGPU B; USPAT; USOCR	OR	ON	2005/11/23 11:45
S50	1	"5679279".pn.	US-PGPU B; USPAT; USOCR	OR	ON	2005/11/23 11:44
S51	0	"5679271".pn. and laser	US-PGPU B; USPAT; USOCR	OR	ON	2005/11/23 11:50
S52	35524	laser with weld\$3 sensor with sound adj acoustic adj wave	US-PGPU B; USPAT; USOCR; EPO; JPO; DERWEN T; IBM_TDB	OR	ON	2005/11/23 11:53
S53	21154	laser near10 weld\$3 sensor near10 ((sound adj acoustic adj wave) or SAW)	US-PGPU B; USPAT; USOCR; EPO	OR	ON	2005/11/23 11:56
S54	1836	S53 and fixture	US-PGPU B; USPAT; USOCR; EPO; JPO; DERWEN T; IBM_TDB	OR	ON	2005/11/23 11:54
S55	20023	laser near5 weld\$3 sensor near5 ((surface adj acoustic adj wave) or SAW)	US-PGPU B; USPAT; USOCR; EPO	OR	ON	2005/11/23 11:56

S56	0	laser near10 weld\$3 near10 sensor near10 ((sound adj acoustic adj wave) or SAW)	US-PGPU B; USPAT; USOCR; EPO	OR	ON	2005/11/23 11:56
S57	436	laser near10 weld\$3 near10 sensor	US-PGPU B; USPAT; USOCR; EPO	OR	ON	2005/11/23 11:57
S58	59	S57 and fixture	US-PGPU B; USPAT; USOCR; EPO	OR	ON	2005/11/23 11:57